•							
FORM PTO 14	19 (Modified)		Attorney Docke	t No : 14521	24 004010115	Application No.	. 00/496 202
FORM PTO-1449 (Modified) LIST OF PATENTS AND PUBLICATIONS FOR				8A-004010US	Application No.	: 09/486,293	
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Cooper, et al. Filing Date: February 22, 2000 Group: Not Assigned				Assigned	
Reference Desig	nation	Ţ	J.S. PATENT DO	CUMENT	S	· · · · · · · · · · · · · · · · · · ·	Page 1
Examiner Initial	Document No.	Date	Name		Class	Sub-class	Filing Date (If Appropriate)
KG AA	4,816,397	03/28/89	Boss, et al.	IP			
		FOR	EIGN PATENT	POCUME	NTS	<u> </u>	
	Document No.	Date	Countr	DEC 08	2000 Class	Sub-class	Translation (Yes/No)
<u>KG</u> AB	WO 97/10252	03/20/97	PCT \	\ <u></u>	, t	<u> </u>	
	ОТ	HER ART (Inclu	ding Author, Ti	tle Date, P	ertinent Pages, E	Etc.)	
KG AC	Caviness et al., " Mouse " I Com	Retrohippocampa <u>o. Neur.</u> 147: 235-	l, Hippocampal a 254 (1973)	nd Related-S	Structures of the F	orebrain in the Re	eler Mutant
KG AD				erebral Corte	ex of the Reeler N	louse," Anat. Emb	oryol. 157: 205-
KG AE	Stanfield and Cowan, "The Morphology of the Hippocampus and Dentate Gyrus in Normal and Reeler Mice," J. Comp. Neur. 185: 393-422 (1979).						
KG AF	Caviness, "Neocortical Histogenesis in Normal and Reeler Mice: A Developmental Study Based Upon [3H] Thymidine Autoradiography," Brain Res. 4: 293-302 (1982).						
<u>KG</u> AG	Goffinet, "Events Governing Organization of Postmigratory Neurons: Studies on Brain Development in Normal and Reeler Mice," Brain Res. 7: 261-296 (1984).						
KG AH	Goffinet et al., "Architectonic and Hodological Organization of the Cerebellum in Reeler Mutant Mice," <u>Brain Res.</u> 16: 263-276 (1984).						
KG AI	Simon et al., "The Nucleotide Sequence and the Tissue-Specific Expression of Drosophila c-src," Cell 42: 831-840 (1985).						
KG_AJ	Cooper et al., "Tyr ⁵²⁷ is Phosphorylated in pp60 ^{C-1} : Implications for Regulation," Science 231: 1431-1434 (1986).						
KG_AK	Henkemeyer et al., "The Drosophila Abelson Proto-Oncogene Homolog: Identification of Mutant Alleles That Have Pleiotropic Effects Late in Development," Cell 51: 821-828 (1987).						
KG_AL	Cooper and MacAuley, "Potential Positive and Negative Autoregulation of p60°-src by Intermolecular and Autophosphorylation," Proc. Natl. Acad. Sci. USA 85: 4232-4236 (1988).						
_KC _AM	MacAuley and Cooper, "The Carboxy-Terminal Sequence of p56 ^{lck} Can Regulate p60 ^{cs/re} ," Mol. Cell. Biol. 8: 3560-3564 (1988).						
KG AN	Anderson, "The Neural Crest Cell Lineage Problem: Neuropoiesis?," Neuron 3: 1-12 (1989).						
KG_AO	Druker et al., "Oncogenes, Growth Factors, and Signal Transduction," New Eng. J. Med. 321: 1383-1391 (1989).						
KG AP	Gertler et al., "Drosophila abl Tyrosine Kinase in Embryonic CNS Axons: A Role in Axogenesis is Revealed Through Dosage-Sensitive Interactions with disabled," Cell 58: 103-113 (1989).						
KG_AQ	Elkins et al., "Genetic Analysis of a Drosophila Neural Cell Adhesion Molecule: Interaction of Fasciclin I and Abelson Tyrosine Kinase Mutations," Cell 60: 565-575 (1990).						
KG AR	Gertler et al., "Genetic Suppression of Mutations in the <i>Drosophila abl</i> Proto-Oncogene Homolog," <u>Science</u> 248: 857-860 (1990).						
KG_AS	Henkemeyer et al., "A Novel Tyrosine Kinase-Independent Function of Drosophila abl Correlates with Proper Subcellular Localization," Cell 63: 949-960 (1990).						
<u>KG</u> AT	Maness et al., "Localization of the Normal Cellular <u>Src</u> Protein to the Growth Cone of Differentiating Neurons in Brain and Retina," <u>Adv. Exp. Med. Biol.</u> 265: 117-125 (1990).						
<u>KG</u> AU	Bixby and Harris, "Molecular Mechanisms of Axon Growth and Guidance," Annu. Rev. Cell Biol. 7: 117-159 (1991).						
KG_AV	Kremer et al., "Signal Transduction by Nerve Growth Factor and Fibroblast Growth Factor in PC12 Cells Requires a Sequence of Src and Ras Actions," <u>J. Cell Biol.</u> 115: 809-819 (1991).						
<u>KG</u> AW	Lannoo et al., "Zebrin II Immunoreactivity in the Rat and in the Weakly Electric Teleost Eigenmannia (Gymnotiformes) Reveals Three Modes of Purkinje Cell Development," J. Comp. Neurol. 310: 215-233 (1991).						

_					
FORM PTO-1	449 (Modified)	Attorney Docket No.: 14538A-	epydrous =	Application No.: 09/486,2	
LIST OF PATENTS AND PUBLICATIONS FOR		Applicant: Cooper, et al.		[2]	
	S INFORMATION DISCLOSURE '(Use several sheets if necessary)	Filing Date: February 22, 2000	DEC U 0 2000	Group: Not Assigned	
KG_AX	Schwartzberg et al., "Mice Homozygous for the abl ^{m1} Mutation Show Poor Viability and Depletion of Selection and T Cell Populations," Cell 65: 1165-1175 (1991).				
KG AY	Tybulewicz, et al., "Neonatal Lethality and Lymphopenia in Mice with a Homozygous Disruption of the c-abl Proto-Oncogence," Cell: 1153-1163 (1991).				
KG_AZ	Vaessin et al., "prospero is Expres Control of Axonal Outgrowth in D	sed in Neuronal Precursors and I prosophila," <u>Cell</u> 67: 941-953 (19	Encodes a Nuc 191).	lear Protein That is Involve	
KG BA	Bennett and Hoffman, "Increased Levels of the <i>Drosophila</i> Abelson Tyrosine Kinase in Nerves and Muscles: Subcellular Localization and Mutant Phenotypes Imply a Role in Cell-cell Interactions," <u>Development</u> 116: 953 (1992).				
KG BB	Maness, "Nonreceptor Protein Tyr 270 (1992).	osine Kinases Associated with N	leuronal Devel	opment," <u>Dev. Neurosci</u> 14	
KG BC	Mayer et al., "Point Mutations in the Transforming Activity in Vivo," Mayer et al., "Point Mutations in the Transforming Activity in Vivo," Mayer et al., "Point Mutations in the Transforming Activities in Vivo," Mayer et al., "Point Mutations in the Transforming Activities in Vivo," Mayer et al., "Point Mutations in the Transforming Activities in Vivo," Mayer et al., "Point Mutations in the Transforming Activities in Vivo," Mayer et al., "Point Mutations in the Transforming Activities in Vivo," Mayer et al., "Point Mutations in the Transforming Activity in Vivo," Mayer et al., "Point Mutations in the Transforming Activity in Vivo," Mayer et al., "Point Mutations in the Transforming Activity in Vivo," Mayer et al., "Point Mutations in the Transforming Activity in Vivo," Mayer et al., "Point Mutations in Vi			hotyrosine Binding In Vitro	
KG BD	McConnell, "The Control of Neuro 27 (1992).	onal Identity in the Developing o	f Cerebral Cor	tex," Curr. Opin. Neurobio	
KG BE	Seidel-Dugan et al., "Effects of SH2 and SH3 Deletions on the Functional Activities of Wild-Type and Transforming Variants of c-Src," Mol. Cell. Biol. 12: 1835-1845 (1992).				
KG BF	Stein et al., "pp59 ^{fm} Mutant Mice Display Differential Signaling in Thymocytes and Peripheral T Cells," Cell 70: 741-750 (1992).				
KG BG	Waksman et al., "Crystal Structure of the Phosphotyrosine Recognition Domain SH2 of v-src Complexed with Tyrosine-phosphorylated Peptides," Nature 358: 646-653 (1992).				
KG BH	Gertler et al., "Dosage-sensitive Modifiers of <i>Drosophila abl</i> Tyrosine Kinase Function: <i>prospero</i> , a Regulator of Axonal Outgrowth, and <i>disabled</i> , a Novel Tyrosine Kinase Substrate," Genes Dev. 7: 441-453 (1993).				
KG BI	Hatten, "The Role of Migration in 44 (1993).	Central Nervous System Neuron	al Developmer	nt," Curr. Opin. Neurobiol.	
KG BJ	Kussick et al., "Ras1-dependent Si and Developing Eye," Oncogene, 8		d <i>Drosophila s</i>	rc Gene Product in the Emb	
KG BK	Mori, et al., "Identification of Two Juxtamembrane Autophosphorylation Sites in the PDGF β-receptor; Involvement in the Interaction with Src Family Tyrosine Kinases," EMBO J., 6: 2257-2264 (1993).				
KGBL	Okada et al., "Deletion of the SH3 Domain of Src Interferes with Regulation by the Phosphorylated Carboxyl-terminal Tyrosine," J. Biol. Chem. 268: 18070-18075 (1993).				
KG BM	Songyang et al., "SH2 Domains Re				
KGBN	Vojtek et al., "Mammalian Ras Interacts Directly with the Serine/Threonine Kinase Raf," Cell 74: 205-214 (199				
KGBO	Vojtek and Cooper, "Identification and Characterizatoin of a cDNA Encoding Mouse CAP: a Homolog of the Y Adenylyl Cyclase Associated Protein," <u>J. Cell Sci.</u> 105: 777-785 (1993).				
KG BP	Wu and Goldberg, "Regulated Tyrosine Phosphorylation at the Tips of Growth Cone Filopodia," <u>J. Cell Biol.</u> 12 653-664 (1993).				
KG_BQ	Beggs et al., "NCAM-dependent Neurite Outgrowth Is Inhibited in Neurons from Fyn-minus Mice," J. Cell. Biol 127: 825-833 (1994).				
KG BR	Cobb et al., "Stable Association of pp60" and pp59 ^{5m} with the Focal Adhesion-Associated Protein Tyrosine Kin pp125 ^{FAK} ," Mol. Cell. Biol. 14: 147-155 (1994).				
KG BS	SH3-Ligand Interactions," Science	Feng et al., "Two Binding Orientations for Peptides to the Src SH3 Domain: Development of a General Model for SH3-Ligand Interactions," Science 266: 1241-1247 (1994).			
KG_BT	Fumagalli et al., "A Target for Src in Mitosis," Nature 368: 871-874 (1994).				
−KG_BU	Howell and Cooper, "Csk Suppression of Src Involves Movement of Csk to Sites of Src Activity," Mol. Cell. Bio 14: 5402-5411 (1994).				
KG BV	Ignelzi et al., "Impaired Neurite On Neuron 12: 873-884 (1994).	utgrowth of src-Minus Cerebella	r Neurons on t	he Cell Adhesion Molecule	

• •					
FORM PTO-14	49 (Modified)	Attorney Docket No.: 14538A-064010US Application No.: 09	9/486,29		
	NTS AND PUBLICATIONS FOR	Applicant: Cooper, et al.			
	INFORMATION DISCLOSURE Use several sheets if necessary)	Applicant: Cooper, et al. Filing Date: February 22, 2000 Geoup: Not Ass	signed		
KG BW	`,	ternative to SH2 Domains for Binding Tyrosing Phosphorylated Prof	teins "		
KGBW	Science 266: 1862-1865 (1994).	TAT & TRAD	tenis,		
_KG_BX	Mok et al., "Molecular Cloning of Differentially Expressed Genes in Human Epithelial Ovarian Cancer," Gyn Oncol. 52: 247-252 (1994).				
KG BY	Sabe et al., "Analysis of the Binding of the Src Homology 2 Domain of Csk to Tyrosine-phosphorylated Proteins the Suppression and Mitotic Activation of c-Src," Proc. Natl. Acad. Sci. USA 91: 3984-3988 (1994).				
KG_BZ	Schaller et al., "Autophosphorylation of the Focal Adhesion Kinase, pp125 ^{FAK} , Directs SH2-Dependent Binding o pp60 ^{re} ," Mol. Cell. Biol.14: 1680-1688 (1994).				
KG CA	Snider, "Functions of the Neurotro Us," <u>Cell</u> 77: 627-638 (1994).	ophins during Nervous System Development: What the Knockouts A	re Teach		
KG CB	Taylor and Shalloway, "An RNA-Mitosis," Nature 368: 867-871 (199	binding Protein Associated with Src Through its SH2 and SH3 Dom 94).	ains in		
KG CC	Umemori et al., "Initial Events of I (1994).	Myelination Involve Fyn Tyrosine Kinase Signalling," Nature 367: 5	572-576		
_KG_CD	Wilson et al., "2.2 Mb of Contingu 32-38 (1994).	uous Nucleotide Sequence From Choromosome III of <i>C. elegans</i> ," N	lature 368		
KG CE	Yu et al., "Structural Basis for the Binding of Proline-Rich Peptides to SH3 Domains," Cell 76: 933-945 (1994).				
KG CF	Alonso et al., "Sequence Requirements for Binding of Src Family Tyrosine Kinases to Activated Growth Factor Receptors," J. Biol. Chem. 270: 9840-9848 (1995).				
_KG_CG	Batzer et al, "The Phosphotyrosine Interaction Domain of Shc Binds an LXNPXY Motif on the Epidermal Growth Factor Receptor," Mol. Cell. Biol. 15: 4403-4409 (1995).				
KG CH	Bork and Margolis, "A Phosphotyrosine Interaction Domain, " Cell 80: 694-694 (1995).				
KG CI	Callahan et al., "Control of Neuror Member," <u>Nature</u> 376: 171-174 (1	nal Pathway Selection by a <i>Drosophila</i> Receptor Protein-tyrosine Ki 1995).	nase Farr		
KG CJ	Nature 374: 719-723 (1995).	lated to Extracellular Matrix Proteins Deleted in the Mouse Mutant r			
_KG_CK		Domain as a Specificity Determinant in the c-Abl-mediated Tyrosine merase II Carboxyl-terminal Repeated Domain," Proc. Natl. Acad. S			
KG CL	Goldberg and Wu, "Inhibition of F J. Neurobiol. 27: 553-560 (1995).	Formation of Filopodia after Axotomy by Inhibitors of Protein Tyros	ine Kinas		
KG_CM	Hill et al., "Genetic Interactions Between the Drosophila Abelson (Abl) Tyrosine Kinase and Failed Axon Connections (Fax), a Novel Protein in Axon Bundles," Genetics 141: 595-606 (1995).				
KG_CN	Hirotsune et al., "The Reeler Gene Encodes a Protein with an EGF-like Motif Expressed by Pioneer Neurons," Na Genet. 10: 77-83 (1995).				
KGCO	Hoffarth et al., "The Mouse Mutation Reeler Causes Increased Adhesion within a Subpopulation of Early Postmitotic Cortical Neurons," J. Neurosci. 15: 4838-4850 (1995).				
KG CP	Hollenberg et al., "Identification of a New Family of Tissue-Specific Basic Helix-Loop-Helix Proteins with a Two Hybrid System," Mol. Cell. Biol. 15: 3813-3822 (1995).				
_KG_CQ	Kavanaugh et al., "PTB Domain Binding to Signaling Proteins Through a Sequence Motif Containing Phosphotyrosine," Science 268: 1177-1179 (1995).				
KG CR	Lai et al., "A Drosophila shc Gene Product is Implicated in Signaling by the DER Receptor Tyrosine Kinase," Mo Cell. Biol. 15: 4810-4818 (1995).				
KG CS	Mayer and Eck, "Minding your p's and q's: SH3 Domains Mediate Many Important Protein-protein Interactions. The Molecular Basis of the Binding of These Domains to Their Ligands has been Revealed, Making it Possible to Identify SH3-binding Sites in New Proteins," Curr. Biol. 5: 364-367 (1995).				
KG CT	McConnell "Constructing the Cer	rebral Cortex: Neurogenesis and Fate Determination," Neuron 15: 7	(1 760		

6	٢	E	7	16
NFC	0	B B	oo,	``\ بې

.

•

FORM PTO-144	49 (Modified) Attorney Docket No.: 14538A-004010US Application No.: 09/486,293					
LIST OF PATENTS AND PUBLICATIONS FOR Applicant: Cooper, et al. APPLICANT'S INFORMATION DISCLOSURE Tiling Date: February 22, 2000 Group: Not Assigned STATEMENT (Use several sheets if necessary)						
STATEMENT (Use several sheets if necessary) Filing Date: February 22, 2000 Group: Not Assigned					
<u>KG</u> CU	KG CU Ogawa et al., "The reeler Gene-Associated Antigen on Cajal-Retzius Neurons is a Crucial Molecule for Laminar Organization of Cortical Neurons," Neuron 14: 899-912 (1995).					
KG_CV	Smeyne et al., "Local Control of Granule Cell Generation by Cerebellar Purkinje Cells," Mol. Cell. Biol. 6: 230-251 (1995).					
KG CW	Songyang et al., "Catalytic Specificity of Protein-tyrosine Kinases is Critical for Selective Signaling," Nature 373: 536-539 (1995).					
<u>KG</u> CX	Songyang et al., "The Phosphotyrosine Interaction Domain of SHC Recognizes Tyrosine-phosphorylated NPXY Motif," J. Biol. Chem. 270: 14863-14866 (1995).					
KG CY	Tessier-Lavigne, "Eph Receptor Tyrosine Kinases, Axon Repulsion, and the Development of Topographic Maps," Cell 82: 345-348 (1995).					
<u>KG</u> CZ	Vaillancourt et al., "Mitogen-Activated Protein Kinase Activation is Insufficient for Growth Factor Receptor-Mediated PC12 Cell Differentiation," Mol. Cell. Biol. 15: 3644-3653 (1995).					
KG_DA	van der Geer et al., "A Conserved Amino-terminal Shc Domain Binds to Phosphotyrosine Motifs in Activated Receptors and Phosphopeptides," <u>Curr. Biol.</u> 5: 404-412 (1995).					
KG_DB	Vojtek and Hollenberg, "Ras-Raf Interaction: Two-Hybrid Analysis," Meth. Enzymol. 255: 331-342 (1995).					
KGDC	Xu et al., "Cloning of a Novel Phosphoprotein Regulated by Colony-stimulating Factor 1 Shares a Domain with the Drosophila disabled Gene Product," J. Biol. Chem. 270: 14184-14191 (1995).					
_KG_DD	Zheng et al., "β-Amyloid Precursor Protein-Deficient Mice Show Reactive Gliosis and Decreased Locomotor Activity," Cell 81: 525-531 (1995).					
_KG_DE	Zhou et al., "Structure and Ligand Recognition of the Phosphotyrosine Binding Domain of Shc," Nature 378: 584-592 (1995).					
<u>KG</u> DF	Albertsen et al., "Sequence, Genomic Structure, and Chromosomal Assignment of Human DOC-2," Genomics 33: 207-213 (1996).					
<u>KG</u> DG	Brown and Cooper, "Regulation, Substrates and Functions of src," Biochim. Biophys. Acta 1287: 121-149 (1996).					
_KG_DH	Desai et al., "Receptor Tyrosine Phosphatases Are Required for Motor Axon Guidance in the Drosophila Embryo," Cell 84: 599-609 (1996).					
_KG_DI	Eck et al., "Structure of the IRS-1 PTB Domain Bound to the Juxtamembrane Region of the Insulin Receptor," Cell 85: 695-705 (1996).					
KG DJ	Keegan and Cooper, "Use of the Two Hybrid System to Detect the Association of the Protein-tyrosine-phosphatase, SHPTP2, with Another SH2-containing Protein, Grb7," Oncogene 12: 1537-1544 (1996).					
_KG_DK	Krueger et al., "The Transmembrane Tyrosine Phosphatase DLAR Controls Motor Axon Guidance in Drosophila," Cell 84: 611-622 (1996).					
<u>KG</u> DL	Lioubin et al., "p 150 ^{Ship} , a Signal Transduction Molecule with Inositol Polyphosphate-5-phosphatase Activity," Genes Devel. 10: 1084-1095 (1996).					
KG_ DM	Margolis, "The PI/PTB Domain: A New Protein Interaction Domain Involved in Growth Factor Receptor Signaling," J. Lab. Clin. Med. 128:235-241 (1996).					
KG_ DN	Miyata et al., "Distribution of a Reeler Gene-Related Antigen in the Developing Cerebellum: An Immunohistochemical Study With an Allogeneic Antibody CR-50 on Normal and Reeler Mice," J. Comp. Neurol. 372: 215-228 (1996).					
_KG_DO	O'Bryan et al., "A Mammalian Adaptor Protein with Conserved Src Homology 2 and Phosphotyrosine-binding Domains is Related to Shc and is Specifically Expressed in the Brain," Proc. Natl. Acad. Sci. USA 93: 2729-2734 (1996).					
_KGDP	Ohshima et al., "Targeted Disruption of the Cyclin-dependent Kinase 5 Gene Results in Abnormal Corticogenesis, Neuronal Pathology and Perinatal Death," <u>Proc. Natl. Acad. Sci. USA</u> 93: 11173-11178 (1996).					
KG DQ	Selko, "Amyloid β-Protein and the Genetics of Alzheimer's Disease," J. Biol. Chem. 271: 18295-18298 (1996).					
_KG_DR	Sweet et al., "Scrambler, a New Neurological Mutation of the Mouse With Abnormalities of Neuronal Migration," Mamm. Genome 7: 798-802 (1996).					

FORM PTO-1449 (Modified)		Attorney Docket No.: 14538A-004010US Application No.: 09/486			
LIST OF PATENTS AND PUBLICATIONS FOR APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant: Cooper, et al.			
		Filing Date: February 22, 2000	Group: Not Assigned		
<u>KG</u> DS	Zhou et al., "Structural Basis for IL-4 Receptor Phosphopeptide Recognition by the IRS-1 PTB Domain," Nature Struct. Biol. 3: 388-393 (1996).				
KG_DT	Chae et al., "Mice Lacking p35, a Neuronal Specific Activator of Cdk5, Display Cortical Lamination Defects, Seizures, and Adult Lethality," Neuron 18: 29-42 (1997).				
KG DU	Del Rio et al., "A Role for Cajal-Retzius Cells and reelin in the Development of Hippocampal Connections," Nature 385: 70-74 (1997).				
<u>KG</u> DV	Howell et al., "Mouse Disabled (mDab1): a Src Binding Protein Implicated in Neuronal Development," <u>EMBO J.</u> 16: 121-132 (1997).				
KG_DW	Sheldon et al., "Scrambler and yotari Disrupt the disabled Gene and Produce a reeler-like Phenotype in Mice," Nature 389: 730-733 (1997).				
_KG_DX	Soriano, "The PDGFα Receptor is Required for Neural Crest Cell Development and for Normal Patterning of the Somites," <u>Development</u> 124: 2691-2700 (1997).				
KGDY	Yoneshima et al., "A Novel Neurological Mutant Mouse, yotari, Which Exhibits reeler-like Phenotype but Expresses CR-50 Antigen/Reelin," Neurosci. Res. 29: 217-223 (1997).				
EXAMINER	/Kagnew Gebreyesus/ DATE CONSIDERED 07/26/2006				

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

